Regulatory Peptides, 28 (1990) 336–338
Elsevier

Author index

Aardal, S., Brâtvèit, M. and Helle, K. B., Differential patterns of relaxation by synthetic atrial peptide (APII) in the pulmonary artery, ascending and distal abdominal aorta, 283
Axelson, J., see Håkanson, R., 107, 131

Barnes, C. D., see Cheng, C.-T., 23
Barocelli, E., see Morini, G., 321
Bertilsson, L., see Toresson, G., 39
Bjenning, C., Jönsson, A.-C. and Holmgren, S., Bombesin-like immunoreactive material in the gut, and the effect of bombesin on the stomach circulatory system of an elasmobranch fish, *Squalus acanthias*, 57
Böttcher, G., see Messell, T., 161
Brazeau, P., see Renier, G., 95
Brodin, E., see Toresson, G., 39
Brown, D. R., see Mitra, S. P., 11
Bråtveit, M., see Aardal, S., 281
Burnstock, G., see James, S., 177

Carraway, R. E., see Mitra, S. P., 11
Chan, J. Y. H., see Cheng, C.-T., 23
Chan, S. H. H., see Cheng, C.-T., 23
Cheng, C.-T., Chan, J. Y. H., Barnes, C. D. and Chan, S. H. H., Tonic suppression of baroreceptor reflex by endogenous neurotensin in the rat, 23
Classen, M., see Schepp, W., 241

De las Carreras, C., see Toresson, G., 39
Deslauriers, N., see Renier, G., 95
Dickinson, C. J. and Yamada, T., Characterization of gastrin amidation in the rat and porcine antrum: comparison with the pituitary, 223

Edvinsson, L., see Tuor, U. I., 255
Eisenberg, H. M., see Kadekaro, M., 153
Ekblad, E., see Sjövall, M., 47
Elkabir, D. R., Wyatt, M. E., Vellucci, S. V. and Herbert, J., The effects of separate or combined infusions of corticotrophin-releasing factor and vasopressin either intraventricularly or into the amygdala on aggressive and investigative behaviour in the rat, 199

Fisher, L. A., see Sheldon, R. J., 137
Freeman, S., see Kadekaro, M., 153
Fried, G. and Thoresen, M., Effects of neuropeptide Y and noradrenaline on uterine artery blood pressure and blood flow velocity in the pregnant guinea-pig, 1
Fujii, N., see Miyasaka, K., 189
Funakoshi, A., see Miyasaka, K., 189
Funakoshi, S., see Miyasaka, K., 189

Gaudreau, P., see Renier, G., 95
Grider, J. R., see Morini, G., 321
Gross, P. M., see Kadekaro, M., 153

Harling, H., see Messell, T., 161
Helle, K. B., see Aardal, S., 281
Herbert, J., see Elkabir, D. R., 199
Hoffmann, P., Terenius, L. and Thorén, P., Cerebrospinal fluid immunoreactive β-endorphin concentration is increased by voluntary exercise in the spontaneously hypertensive rat, 233
Holmgren, S., see Bjenning, C., 57
Holst, J. J., see Messell, T., 161
Håkanson, R., Persson, P. and Axelson, J., Elevated serum gastrin after food intake or acid blockade evokes hypocalcemia, 131
Håkanson, R., Persson, P., Axelson, J., Johnell, O. and Sundler, F., Evidence that gastrin enhances ^{45}Ca uptake into bone through release of a gastric hormone, 107
Håkanson, R., see Schepp, W., 241

Impicciatore, M., see Morini, G., 321

Jørgensen, P. E., Rasmussen, T. N., Olsen, P. S., Raaberg, L., Poulsen, S. S. and Nexø, E., Renal uptake and excretion of epidermal growth factor from plasma in the rat, 273

James, S. and Burnstock, G., Colocalization of peptides and a catecholamine-synthesizing enzyme in intramural neurones of the newborn guinea-pig urinary bladder in culture, 177
Jiang, Q., see Sheldon, R. J., 137
Johnell, O., see Håkanson, R., 107
Johnsen, A. H., see Messell, T., 161
Joëls, M., Madamba, S. G., Moore, S. D., Morrison, J. H. and Siggins, G. R., Somatostatin immunohistochemistry of hippocampal slices with Lucifer Yellow-stained pyramidal neurons responding to somatostatin, 215
Jönsson, A.-C., see Bjenning, C., 57

Kadekaro, M., Nermo-Lindquist, E., Terrell, M. L., Kelly, S. M., Freeman, S., Gross, P. M. and Eisenberg, H. M., Desmopressin, but not vasopressin, decreases activity of the hypothalamo- neurohypophysial system in Brattleboro rats, 153
Kelly, P. A. T., see Tuor, U. I., 255
Kelly, S. M., see Kadekaro, M., 153
Kitani, K., see Miyasaka, K., 189
Krause, J. E., see Takeda, Y., 311
Kreider, M. S., Wolfinger, B. L. and Winokur, A., Systemic administration of kainic acid produced elevations in TRH in rat central nervous system, 83

Lewiński, A., see Zerek-Meleń, G., 291
Lundell, L., see Sjövall, M., 47

Madamba, S. G., see Joëls, M., 215
Makhlouf, G. M., see Morini, G., 321
Massi, M., see Pompei, P., 119
McCulloch, J., see Tuor, U. I., 255
Messell, T., Harling, H., Böttcher, G., Johnsen, A. H. and Holst, J. J., Galanin in the porcine pancreas, 161
Miller, L. J., see Schjoldager, B., 265
Mitra, S. P., Muraki, K., Brown, D. R., Parsons, A. M. and Carraway, R. E., Canine neurotensin, neurotensin 6–13 and neuromedin N: primary structures and receptor activity, 11
Miyasaka, K., Funakoshi, A., Yasunami, Y., Nakamura, R., Kitani, K., Tamamura, H., Funakoshi, S. and Fujii, N., Rat pancreastatin inhibits both pancreatic exocrine and endocrine secretions in rats, 189
Molero, X., see Schjoldager, B., 265
Moore, S. D., see Joëls, M., 215
Morini, G., Barocelli, E., Impicciatore, M., Grider, J. R. and Makhlouf, G. M., Receptor type for cholecystokinin on isolated intestinal muscle cells of the guinea pig, 321
Morrison, J. H., see Joëls, M., 215
Muraki, K., see Mitra, S. P., 11

Nakamura, R., see Miyasaka, K., 189
Nermo-Lindquist, E., see Kadekaro, M., 153
Nexø, E., see Jørgenen, P. E., 273

Olsen, P. S., see Jørgensen, P. E., 273

Parsons, A. M., see Mitra, S. P., 11
Perfumi, M., see Pompei, P., 119
Persson, P., see Håkanson, R., 107
Persson, P., see Håkanson, R., 131
Petitclerc, D., see Renier, G., 95
Polidori, C., see Pompei, P., 119
Pompei, P., Polidori, C., Perfumi, M. and Massi, M., Sensitivity of spontaneously hypertensive and of Wistar Kyoto rats to the antidipsogenic action of eledoisin, 119
Porreca, F., see Sheldon, R. J., 137
Poulsen, S. S., see Jørgensen, P. E., 273
Prinz, C., see Schepp, W., 241
Provow, S. A. and Velicelebi, G., Limited proteolysis of the vasoactive intestinal peptide receptor: comparison of its folded structure in the membrane-bound and detergent-solubilized states, 71

Raaberg, L., see Jørgensen, P. E., 273
Rasmussen, T. N., see Jørgensen, P. E., 273
Renier, G., Gaudreau, P., Deslauriers, N., Petitclerc, D. and Brazeau, P., Dynamic of the GFR-induced GH response in genetically obese Zucker rats: influence of central and peripheral factors, 95

Schepp, W., Prinz, C., Håkanson, R., Schusdziarra, V. and Classen, M., Bombesin-like peptides stimulate gastrin release from isolated rat G-cells, 241
Schjoldager, B., Molero, X. and Miller, L. J., Gallbladder CCK receptors: species differences in glycosylation of similar protein cores, 265
Schusdziarra, V., see Schepp, W., 241
Sheldon, R. J., Jiang, Q., Porreca, F. and Fisher, L. A., Gastrointestinal motor effect of corticotropin-releasing factor in mice, 137
Siggins, G. R., see Joëls, M., 215
Sjövall, M., Ekblad, E., Lundell, L. and Sundler, F., Gastrin-releasing peptide: neuronal distri-

bution and spatial relation to endocrine cells in the human upper gut, 47
Smart, B. A., see Takeda, Y., 311
Sundler, F., see Håkanson, R., 107
Sundler, F., see Sjövall, M., 47
Szkudliński, M., see Zerek-Mełeń, G., 281

Takeda, J., see Takeda, Y., 311
Takeda, Y., Takeda, J., Smart, B. A. and Krause, J. E., Regional distribution of neuropeptide γ and other tachykinin peptides derived from the substance P gene in the rat, 311
Tamamura, H., see Miyasaka, K., 189
Terenius, L., see Hoffmann, P., 231
Terenius, L., see Hoffmann, P., 233
Terrell, M. L., see Kadekaro, M., 153
Thoresen, M., see Fried, G., 1
Thorén, P., se Hoffmann, P., 233
Toresson, G., De Las Carreras, C., Bertilsson, L. and Brodin, E., N-terminally extended substance P is released together with substance P from rat spinal cord, 39
Tuor, U. I., Edvinsson, L., Kelly, P. A. T. and McCulloch, J., Local cerebral blood flow following the intrastriatal administration of vasoactive intestinal peptide or peptide histidine isoleucine in the rat, 255

Velicelebi, G., see Provow, S. A., 71
Vellucci, S. V., see Elkabir, D. R., 199

Watanobe, H., The immunostaining for the hypothalamic vasoactive intestinal peptide, but not for β-endorphin, dynorphin-A or methionine-enkephalin, is affected by the glucocorticoid milieu in the rat: correlation with the prolactin secretion, 299
Winokur, A., see Kreider, M. S., 83
Wolfinger, B. L., see Kreider, M. S., 83
Wyatt, M. E., see Elkabir, D. R., 199

Yamada, T., see Dickinson, C. J., 223
Yasunami, Y., see Miyasaka, K., 189

Zerek-Mełeń, G., Lewiński, A. and Szkudliński, M., Influence of somatostatin and epidermal growth factor (EGF) on the proliferation of thyroid follicular cells in organ culture, 291

Regulatory Peptides, 28 (1990) 339–342
Elsevier

Key word index

Adrenalectomy; Prolactin; Ether stress; Dexamethasone; Vasoactive intestinal peptide; Paraventricular nucleus, 299

β_2-Adrenoceptor; Atriopeptin; Vasoactive intestinal peptide; α_1-Adrenoceptor; Rat; Vascular smooth muscle, 281

α_1-Adrenoceptor; Atriopeptin; Vasoactive intestinal peptide; β_2-Adrenoceptor; Rat; Vascular smooth muscle, 281

Aggression; Social interaction; Corticotrophin releasing factor; Vasopressin; Amygdala; Icv infusion, 199

Amygdala; Social interaction; Aggression; Corticotrophin releasing factor; Vasopressin; Icv infusion, 199

Atriopeptin; Vasoactive intestinal peptide; α_1-Adrenoceptor; β_2-Adrenoceptor; Rat; Vascular smooth muscle, 281

Baroreceptor reflex sensitivity; Neurotensin; Neurotensin, (D-Trp)11-; Neurotensin antiserum; Bestatin; Nucleus tractus solitarus; Rat, 23

Bestatin; Neurotensin; Neurotensin, (D-Trp)11-; Neurotensin antiserum; Baroreceptor reflex sensitivity; Nucleus tractus solitarius; Rat, 23

Blood calcium concentration; Gastrin; Hypocalcemia; Gastrectomy; Fundectomy; Refeeding, 131

Blood; Epidermal growth factor; Rat; Kidney; Urine; Metabolism, 273

Bombesin-like peptide; Gastrin; Receptor-independent activator; Rat; G-cell, 239

Bombesin; Gut, Circulatory system; Elasmobranch, 57

Brain; Neurotensin; Peptide; Gastrointestinal receptor, 11

CA1 pyramidal cell; Hippocampus; Electrophysiology; Immunohistochemistry; Lucifer yellow; Rat; Somatostatin, 215

Calciotropic hormone; Gastrin; Hypocalcemia; Calcium incorporation; Calcium homeostasis; Hypergastrinemia, 107

Calcium homeostasis; Gastrin; Hypocalcemia; Calcium incorporation; Calciotropic hormone; Hypergastrinemia, 107

Calcium incorporation; Gastrin; Hypocalcemia; Calcium homeostasis; Calciotropic hormone; Hypergastrinemia, 107

Caudate nucleus; Peptide histidine isoleucine; Cerebral glucose utilization; Cerebral circulation; Vasoactive intestinal peptide, 255

Cell culture; Neuropeptide Y; Somatostatin; Coexistence; Intramural ganglia, 177

Cerebral circulation; Peptide histidine isoleucine; Cerebral glucose utilization; Caudate nucleus; Vasoactive intestinal peptide, 255

Cerebral glucose utilization; Peptide histidine isoleucine; Caudate nucleus; Cerebral circulation; Vasoactive intestinal peptide, 255

Cerebrospinal fluid; Exercise; Rat; β-endorphin, 233

Cholecystokinin receptor; Peptide hormone receptor; Smooth muscle; Glycosylation; Species difference, 265

Cholecystokinin receptor; Gastrin receptor; Cholecystokinin antagonist, 321

Cholecystokinin antagonist; Cholecystokinin receptor; Gastrin receptor, 321

Circulatory system; Bombesin; Gut; Elasmobranch, 57

Coexistence; Neuropeptide Y; Somatostatin; Intramural ganglia; Cell culture, 177

Conscious rat; Rat pancreastatin; Endocrine secretion; Exocrine secretion; Pancreas, 189

Corticotrophin-releasing factor; Social interaction; Aggression; Vasopressin; Amygdala; Icv infusion, 199

Crosslinking; Proteolytic pattern; Protease sensitivity, 71

Deoxyglucose method; Neural lobe; Polydipsia; Polyuria, 153

Dexamethasone; Prolactin; Ether stress; Adrenalectomy; Vasoactive intestinal peptide; Paraventricular nucleus, 299

Elasmobranch; Bombesin; Gut; Circulatory system, 57
Electrophysiology; Hippocampus; CA1 pyramidal cell; Immunohistochemistry; Lucifer yellow; Rat; Somatostatin, 215
Eledosin; Spontaneously hypertensive rat; Wistar Kyoto rat; Tachykinin; Water intake, 119
Endocrine cell; Gastrin releasing peptide; Gastrin cell; Somatostatin cell; Human stomach, 47
Endocrine secretion; Rat pancreastatin; Exocrine secretion; Pancreas; Conscious rat, 189
β-Endorphin; Exercise; Rat; Cerebrospinal fluid, 233
Epidermal growth factor; Rat; Kidney; Blood; Urine; Metabolism, 273
Epidermal growth factor; Somatostatin; Thyroid; Proliferation; Organ culture, 291
Ether stress; Prolactin; Adrenalectomy; Dexamethasone; Vasoactive intestinal peptide; Paraventricular nucleus, 299
Exercise; Rat; Cerebrospinal fluid; β-endorphin, 233
Exocrine secretion; Rat pancreastatin; Endocrine secretion; Pancreas; Conscious rat, 189

Fatty; Growth hormone releasing factor; Growth hormone; Obesity, 95
Fundectomy; Gastrin; Hypocalcemia; Blood calcium concentration; Gastrectomy; Refeeding, 131

Gastrectomy; Gastrin; Hypocalcemia; Blood calcium concentration; Fundectomy; Refeeding, 131
Gastric emptying; Neuropeptide; α-Helical corticotropin releasing factor 9–41; Gastrointestinal transit, 137
Gastrin cells; Gastrin releasing peptide; Somatostatin cells; Endocrine cells; Human stomach, 47
Gastrin releasing peptide; Gastrin cell; Somatostatin cell; Endocrine cell; Human stomach, 47
Gastrin receptor; Cholecystokinin receptor; Cholecystokinin antagonist, 321
Gastrin; Bombesin-like peptide; Receptor-independent activator; Rat; G-cell, 241
Gastrin; Hypocalcemia; Calcium incorporation; Calcium homeostasis; Calciotropic hormone; Hypergastrinemia, 107
Gastrin; Hypocalcemia; Blood calcium concentration; Gastrectomy; Fundectomy; Refeeding, 131
Gastrin; Peptide α-amidating enzyme; Post-translational processing, 223
Gastrointestinal receptor; Neurotensin; Peptide; Brain, 11
Gastrointestinal transit; Neuropeptides; α-Helical corticotropin releasing factor 9–41; Gastric emptying, 137
Gastrointestinal tract; Substance P; Neurokinin A; Neuropeptide K; Salivary gland, 311
G-cell; Bombesin-like peptide; Gastrin; Receptor-independent activator; Rat, 241
Glucagon; Insulin; Somatostatin; Neuropeptide; Species differences; Pancreatic innervation, 161
Glycosylation; Cholecystokinin receptor; Peptide hormone receptor; Smooth muscle; Species difference, 265
Growth hormone releasing factor; Growth hormone; Obesity; Fatty, 95
Growth hormone; Growth hormone releasing factor; Obesity; Fatty, 95
Guinea-pig; Neuropeptide Y; Nodradrenaline; Uterine artery; Pregnancy; Uterine blood flow velocity, 1
Gut; Bombesin; Circulatory; Elasmobranch, 57

α-Helical corticotropin releasing factor 9–41; Neuropeptide; Gastrointestinal transit; Gastric emptying, 137
Hippocampus; CA1 pyramidal cell; Electrophysiology; Immunohistochemistry; Lucifer yellow; Rat; Somatostatin, 215
Human stomach; Gastrin releasing peptide; Gastrin cell; Somatostatin cell; Endocrine cell, 47
Hypergastrinemia; Gastrin; Hypocalcemia; Calcium incorporation; Calcium homeostasis; Calciotropic hormone, 107
Hypocalcemia; Gastrin; Calcium incorporation; Calcium homeostasis; Calciotropic hormone; Hypergastrinemia, 107
Hypocalcemia; Gastrin; Blood calcium concentration; Gastrectomy; Fundectomy; Refeeding, 131

Icv infusion; Social interaction; Aggression; Corticotrophin releasing factor; Vasopressin; Amygdala, 199
Immunohistochemistry; Hippocampus; CA1 pyramidal cell; Electrophysiology; Lucifer yellow; Rat; Somatostatin, 215
Insulin; Glucacon; Somatostatin; Neuropeptide;

Species difference; Pancreatic innervation, 161
Intramural ganglia; Neuropeptide Y; Somatostatin; Coexistence; Cell culture, 177

Kidney; Epidermal growth factor; Rat; Blood; Urine; Metabolism, 273

Limbic system; Thyrotropin releasing hormone; Seizure, 83
Lucifer yellow; Hippocampus; CA1 pyramidal cell; Electrophysiology; Immunohistochemistry; Rat; Somatostatin, 215

Metabolism; Epidermal growth factor; Rat; Kidney; Blood; Urine, 273

N-terminally extended substance P; Substance P; Rat spinal cord; Release, 39
Neural lobe; Deoxyglucose method; Polydipsia; Polyuria, 153
Neurokinin A; Substance P; Neuropeptide K; Salivary gland; Gastrointestinal tract, 311
Neuropeptide Y; Noradrenaline; Uterine artery; Pregnancy; Guinea-pig; Uterine blood flow velocity, 1
Neuropeptides; α-Helical corticotropin releasing factor 9–41; Gastrointestinal transit; Gastric emptying, 137
Neuropeptide; Insulin; Glucagon; Somatostatin; Species difference; Pancreatic innervation, 161
Neuropeptide Y; Somatostatin; Coexistence; Intramural ganglia; Cell culture, 177
Neuropeptide K; Substance P; Neurokinin A; Salivary gland; Gastrointestinal tract, 311
Neurotensin; Peptide; Gastrointestinal receptor; Brain, 11
Neurotensin; Neurotensin, (D-Trp)11-; Neurotensin antiserum; Bestatin; Baroreceptor reflex sensitivity; Nucleus tractus solitarius; Rat, 23
Neurotensin, (D-Trp)11-; Neurotensin; Neurotensin antiserum; Bestatin; Baroreceptor reflex sensitivity; Nucleus tractus solitarius; Rat, 23
Neurotensin antiserum; Neurotensin; Neurotensin, (D-Trp)11-; Bestatin; Baroreceptor reflex sensitivity; Nucleus tractus solitarius; Rat, 23
Noradrenaline; Neuropeptide Y; Uterine artery; Pregnancy; Guinea-pig; Uterine blood flow velocity, 1
Nucleus tractus solitarius; Neurotensin; Neurotensin, (D-Trp)11-; Neurotensin antiserum; Bestatin; Baroreceptor reflex sensitivity; Rat, 23

Obesity; Growth hormone releasing factor; Growth hormone; Fatty, 95
Organ culture; Somatostatin; Epidermal growth factor; Thyroid; Proliferation, 291

Pancreas; Rat pancreastatin; Endocrine secretion; Exocrine secretion; Conscious rat, 189
Pancreatic innervation; Insulin; Glucacon; Somatostatin; Neuropeptide; Species difference, 161
Paraventricular nucleus; Prolactin; Ether stress; Adrenalectomy; Dexamethasone; Vasoactive intestinal peptide, 299
Peptide α-amidating enzyme; Post-translational processing; Gastrin, 223
Peptide histidine isoleucine; Cerebral glucose utilization; Caudate nucleus; Cerebral circulation; Vasoactive intestinal peptide, 255
Peptide hormone receptor; Cholecystokinin receptor; Smooth muscle; Glycosylation; Species difference, 265
Peptide; Neurotensin; Gastrointestinal receptor; Brain, 11
Polydipsia; Neural lobe; Deoxyglucose method; Polyuria, 153
Polyuria; Neural lobe; Deoxyglucose method; Polydipsia, 153
Post-translational processing; Peptide α-amidating enzyme; Gastrin, 223
Pregnancy; Neuropeptide Y; Noradrelanine; Uterine artery; Guinea-pig; Uterine blood flow velocity, 1
Prolactin; Ether stress; Adrenalectomy; Dexamethasone; Vasoactive intestinal peptide; Paraventricular nucleus, 299
Proliferation; Somatostatin; Epidermal growth factor; Thyroid; Organ culture, 291
Protease sensitivity; Crosslinking; Proteolytic patterns, 71
Proteolytic pattern; Crosslinking; Protease sensitivity, 71

Rat pancreastatin; Endocrine secretion; Exocrine secretion; Pancreas; Conscious rat, 189
Rat spinal cord; Substance P; N-terminally extended substance P; Release, 39
Rat; Atriopeptin; Vasoactive intestinal peptide; α_1-Adrenoceptor; β_2-Adrenoceptor; Vascular smooth muscle, 281

Rat; Epidermal growth factor; Kidney; Blood; Urine; Metabolism, 273
Rat; Exercise; Cerebrospinal fluid; β-endorphin, 233
Rat; G-cell; Bombesin-like peptide; Gastrin; Receptor-independent activator, 241
Rat; Hippocampus; CA1 pyramidal cell; Electrophysiology; Immunohistochemistry; Lucifer yellow; Somatostatin, 215
Rat; Neurotensin; Neurotensin, (D-Trp)11-; Neurotensin antiserum; Bestatin; Baroreceptor reflex sensitivity; Nucleus tractus solitarius, 23
Receptor-independent activator; Bombesin-like peptide; Gastrin; Rat; G-cell, 241
Refeeding; Gastrin; Hypocalcemia; Blood calcium concentration; Gastrectomy; Fundectomy, 131
Release; Substance P; N-terminally extended substance P; Rat spinal cord, 39

Salivary gland; Substance P; Neurokinin A; Neuropeptide K; Gastrointestinal tract, 311
Seizure; Thyrotropin releasing hormone; Limbic system, 83
Smooth muscle; Cholecystokinin receptor; Peptide hormone receptor; Glycosylation; Species difference, 265
Social interaction; Aggression; Corticotrophin releasing factor; Vasopressin; Amygdala; Icv infusion, 199
Somatostatin cell; Gastrin releasing peptide; Gastrin cell; Endocrine cell; Human stomach, 47
Somatostatin; Insulin; Glucacon; Neuropeptide; Species difference; Pancreatic innervation, 161
Somatostatin; Neuropeptide Y; Coexistence; Intramural ganglia; Cell culture, 177
Somatostatin; CA1 pyramidal cell; Hippocampus; Electrophysiology; Immunohistochemistry; Lucifer yellow; Rat, 215
Somatostatin; Epidermal growth factor; Thyroid; Proliferation; Organ culture, 291
Species difference; Insulin; Glucacon; Somatostatin; Neuropeptide; Pancreatic innervation, 161
Species difference; Cholecystokinin receptor; Peptide hormone receptor; Smooth muscle; Glycosylation, 265
Spontaneously hypertensive rat; Wistar Kyoto rat; Eledosin; Tachykinin; Water intake, 119
Substance P; N-terminally extended substance P; Rat spinal cord; Release, 39
Substance P; Neurokinin A; Neuropeptide K; Salivary gland; Gastrointestinal tract, 311

Tachykinin; Spontaneously hypertensive rat; Wistar Kyoto rat; Eledosin; Water intake, 119
Thyroid; Somatostatin; Epidermal growth factor; Proliferation; Organ culture, 293
Thyrotropin releasing hormone; Seizures; Limbic system, 83

Urine; Epidermal; growth factor; Rat; Kidney; Blood; Metabolism, 273
Uterine artery; Neuropeptide Y; Noradrenaline; Pregnancy; Guinea-pig; Uterine blood flow velocity, 1
Uterine blood flow velocity; Neuropeptide Y; Noradrenaline; Uterine artery; Pregnancy; Guinea-pig, 1

Vascular smooth muscle ; Atriopeptin; Vasoactive intestinal peptide; α_1-Adrenoceptor; β_2-Adrenoceptor; Rat, 281
Vasoactive intestinal peptide; Peptide histidine isoleucine; Cerebral glucose utilization; Caudate nucleus; Cerebral circulation, 255
Vasoactive intestinal peptide; Atriopeptin; α_1-Adrenoceptor; β_2-Adrenoceptor; Rat; Vascular smooth muscle, 281
Vasoactive intestinal peptide; Prolactin; Ether stress; Adrenalectomy; Dexamethasone; Paraventricular nucleus, 299
Vasopressin; Social interaction; Aggression; Corticotrophin releasing factor; Amygdala; Icv infusion, 199
Water intake; Spontaneously hypertensive rat; Wistar Kyoto rat; Eledosin; Tachykinin, 119
Wistar Kyoto rat; Spontaneously hypertensive rat; Eledosin; Tachykinin; Water intake, 119